## SOUR et al U.S. National Phase of PCT/NL2004/000154

## **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (original) Reinforced polyamide composition stabilized against weather influences which contains:
- (a) 40 to 95 parts by weight of polyamide at least 50 wt% of which is semicrystalline polyamide;
  - (b) 5 to 60 parts by weight of reinforcing material;
- (c) 0,05 to 4 parts by weight of at least of one organic UV stabiliser from the class of hindered amines; and
- (d) 0.1 to 5 parts by weight of carbon black with an average primary particle size of at least 30 nm.
- 2. (currently amended) Polyamide composition according to claim 1, which contains also 0.05 to 4 parts by weight of ef an organic UV absorber.
- 3. (currently amended) Polyamide composition according to claim 1 or 2, which contains also 0.05 to 5 parts by weight of an inorganic UV absorber or UV screener.
- 4. (currently amended) Polyamide composition according to any one of claims 1-3 claim 1, in which the semicrystalline polyamide is PA6, PA66, PA46 or a mixture thereof.